<u>REMARKS</u>

Claim Objections

Claim 40 is rewritten in independent form.

Rejection of the Claims Under 35 U.S.C. §112, second paragraph

(Item numbers correspond to the numbers for each issue in the Office Action)

- 1. Claim 43 is amended, whereby the rejection is moot.
- Claim 1 is amended as recommended by the Examiner, whereby the rejection is moot.
 Claim 1 is further amended in accord with the disclosure in the paragraph spanning form page 18 to page 19.
- 3. The features of claim 44 are incorporated into claim 17, overcoming the rejection.
- 4. The term "heteroalkyl" is rejected, but such term is not present in any of the claims.
- 5. The term "aliphatic" is defined by the IUPAC Compendium of Chemical Terminology, 2nd Edition (1997), as "acyclic or cyclic, saturated or unsaturated carbon compounds, excluding aromatic compounds." See IUPAC Compendium of Chemical Terminology, Electronic version, http://goldbook.iupac.org/A00217.pdf (Copy attached.) Thus, the term clearly includes cyclic compounds. As such, one would understand this term "cycloaliphatic" to mean a cyclic aliphatic compound, which excludes the acyclic aliphatic compounds. One of ordinary skill in the art would understand that possible compounds under the meaning of the term "cycloaliphatic" are, for example, cycloalkyl and cycloalkenyl compounds. The claim language is definite and is well understood by those or ordinary skill in the art.
- 6. The term "heterocycloaliphatic" is also clear to one of ordinary skill in the art. It is a "cycloaliphatic" compound as defined above with at least on heteroatom located in the cycle. Accordingly, one of ordinary skill in the art would understand that possible compounds under the meaning of the term "heterocycloaliphatic" are heterocyclyl and heterocyclenyl compounds. In this regard attaches are the IUPAC definitions of "heterocyclyl groups" and "heterocyclic compounds" as defined by the IUPAC Compendium of Chemical Terminology, 2nd Edition (1997). See IUPAC Compendium of Chemical Terminology, Electronic version, http://goldbook.iupac.org/H02799.pdf, and IUPAC Compendium of Chemical Terminology, Electronic version, http://goldbook.iupac.org/H02799.pdf, and IUPAC Compendium of Chemical Terminology, Electronic version, http://goldbook.iupac.org/H02799.pdf, respectively. (Copies attached.) The

19 EPROV-17

meanings of these terms are clear to one of ordinary skill in the art as supported by the attached definitions.

- 7. The alternative groups objected to are defined by variables which are defined below the formula.
- 8. The term "Me" is defined as "methyl." Additionally, the term "Ph₂" standing for two phenyl groups, i.e., $(C_6H_5)_2$, is changed to $(C_6H_5)_2$ to further clarify claim 14.
- 9. Claim 17 is amended as suggested by the Examiner.
- 10. The structure of the formula is amended as recommended by the Examiner to further clarify the same.
- 11. The Office Action inquires about the meaning of the term "ditertiary diphosphine." In this regard attached is the definition of "phosphines" as defined by the IUPAC Compendium of Chemical Terminology, 2^{nd} Edition (1997). Phosphines are defined as "PH₃ and compounds derived from it by substituting one, two or three hydrogen atoms by hydrocarbyl groups R_3P . RPH₂, R_2PH and R_3P ($R \neq H$) are called primary, secondary and tertiary phosphines, respectively. A specific phosphine is preferably named as a substituted phosphane, e.g. CH_3PH_2 methylphosphane." See IUPAC Compendium of Chemical Terminology, Electronic version, http://goldbook.iupac.org/P04553.pdf. (Copy attached.)

Thus, according to IUPAC nomenclature under phosphines, tertiary phosphines are characterized by the structure R₃P, wherein R means a hydrocarbyl group. Diphosphines must have two phosphine groups linked together so that they still have hydrocarbyl groups. These diphosphines must have two tertiary phosphine groups so that they represent a diphosphine with two tertiary phosphine groups or a ditertiary diphosphine. The ditertiary diphosphine must have therefore two phosphine groups with two hydrocarbyl groups and one hydrocarbyl group linked to both P atoms. Thus, the formula according to IUPAC nomenclature for ditertiary diphosphine is R₂P-R-PR₂, which is the intended definition and which is fully supported by the description, see pages 19-29.

The Office Action cites various compounds and inquires whether they are included in the meaning of ditertiary diphosphine.

To further clarify the meaning of "phospines," attached is also the definition of "phosphanes" as defined by the IUPAC Compendium of Chemical Terminology, 2nd Edition (1997). Phosphanes are defined as "the saturated hydrides of tervalent phosphorus having the

20 EPROV-17

general formula P_nH_{n+2} . Individual members having an unbranched phosphorus chain are named phosphane, diphosphane, triphosphane, etc. The name of a saturated hydride of phosphorus wherein one or more phosphorus atoms have a bonding number of 5 is formed by prefixing locants and symbols to the name of the corresponding phosphane. Hydrocarbyl derivatives of PH3 belong to the class phosphines." See IUPAC Compendium of Chemical Terminology, Electronic version, http://goldbook.iupac.org/P04548.pdf. (Copy attached.)

Accordingly, (t-butyl)HP-PH(t-butyl) cannot be included, since it is not a phosphine but a phosphane with a P-P bond and since it does not have two tertiary phosphine groups due to the presence of hydrogen bound to each P atom. The same consideration applies to the structure (Methyl)₂P-P(Methyl)₂, which is a basic phosphane structure, having two secondary phosphine groups. The other three structures mentioned by the Office Action with P=C double bonds do not have tertiary phosphine groups because they have only two substituents at the P atoms.

- 12. Claims 15, 31 and 35 were amended as follows: "directly or via a bridging group." Applicants thank the Examiner for noticing the error. Support for the amendment can be found, for example, on page 22, see the structures depicted on said page standing for R₆ in the formula (IV) depicted on page 21, illustrating that the phosphine groups can bond directly or via a bridging group to the cyclopentadyenyl ring.
- 13. Claim 16 is amended as suggested by the Examiner.
- 14. Claim 18 is amended to further clarify the claim.
- 15. In claim 19, the Examiner inquires what is a "complex acid" in the definition of A_2 . However, what is defined in claim 19 is "an anion of ... complex acid." The meaning of A_2 is clear to one of ordinary skill in the art based on the disclosure which teaches the meaning of the term by providing a list of exemplary anions on page 35, lines 14-16. A new claim is added which recites the specifically identified anions in the specification on page 35, lines 14-16.
- 16. Claim 19 is amended to change "A" to "A₂." This is the correction of an obvious error.
- 17. The term " X_8 and X_9 stand for allyl or 2-methylallyl" is deleted from claim 19, which overcomes the rejection.

The rejection to claims 1, 2, 4, 8-19, 29-32, 34-37 and 43-45 are overcome by the amendments to the claims. Support for the amendments can be found, for example, on pages 1, 2 and 7 of the specification.

21 EPROV-17

Reconsideration is respectfully requested.

The Commissioner is hereby authorized to charge any fees associated with this response or credit any overpayment to Deposit Account No. 13-3402.

Respectfully submitted,

Csaba Henter, Reg. No. 50,908 Harry B. Shubin, Reg. No. 32,004 Attorneys for Applicants

Millen, White, Zelano & Branigan, P.C. 2200 Clarendon Boulevard, Suite 1400 Courthouse Plaza I Arlington, VA 22201 Direct Dial: (703) 812-5331

Direct Dial: (703) 812-533 Email: henter@mwzb.com

Filed: November 20, 2006

K:\eprov\17\Reply Nov 06.doc

aliphatic compounds
Acyclic or cyclic, saturated or unsaturated carbon compounds, excluding aromatic compounds. 1995, 67, 1313

IUPAC Compendium of Chemical Terminology

heterocyclyl groups
Univalent groups formed by removing a hydrogen atom from any ring atom of a heterocyclic compound. E.g.

See *organyl*. 1995, *67*, 1340

IUPAC Compendium of Chemical Terminology

heterocyclic compounds

Cyclic compounds having as ring members atoms of at least two different elements, e.g. quinoline, 1,2-thiazole, bicyclo[3.3.1]tetrasiloxane. See homocyclic compounds, carbocyclic compounds. 1995, 67, 1340

IUPAC Compendium of Chemical Terminology

phosphanes

The saturated hydrides of tervalent phosphorus having the general formula P_nH_{n+2} . Individual members having an unbranched phosphorus chain are named phosphane, diphosphane, triphosphane, etc. The name of a saturated hydride of phosphorus wherein one or more phosphorus atoms have a bonding number of 5 is formed by prefixing locants and λ^5 symbols to the name of the corresponding phosphane. Hydrocarbyl derivatives of PH₃ belong to the class phosphines.

1995, 67, 1357

IUPAC Compendium of Chemical Terminology

phosphines

PH₃ and compounds derived from it by substituting one, two or three hydrogen atoms by hydrocarbyl groups R₃P. RPH₂, R₂PH and R₃P (R ≠ H) are called primary, secondary and tertiary phosphines, respectively. A specific phosphine is preferably named as a substituted phosphane, e.g. CH₃PH₂ methylphosphane.

See *phosphanes*. 1995, 67, 1357

IUPAC Compendium of Chemical Terminology